

STONE
INSPIRED
SPC RIGID
CORE



Easy Click
Installation



100% waterproof



Slip Resistant &
Ultra Quiet

STONE

KERMIT
F L O O R

SPC FLOORING
COLLECTION



KERMIT

F L O O R

PREMIUM EUROPEAN SPC PRODUCTS

Provide your clients with
the PRESTIGE, IMAGE &
QUALITY of PREMIUM
EUROPEAN products

UNMATCHED LEAD TIMES

Orders Produced Within
Days + Short Transit
Lead Times = Enables
Clients to Keep Less
Inventory & Order More
Frequently.



KERMIT

F L O O R

QUICK SHIP INVENTORY PROGRAM

Large domestic Inventory
maintained of top selling
items ready to reach you
within days



ENHANCED CUSTOMER SERVICE

Our team is at your
service, to help with your
requests & provide a
simplified experience



KERMIT

F L O O R

SUPERIOR PRODUCT & QUALITY ALL AROUND

ULTIMATE SHIELD SURFACE COATING; providing industry leading scratch, stain & wear resistance.
✓ ENDURANCE TECH CORE: the strongest & most durable SPC Core, made using top quality ingredients & best machinery
✓ ULTRA DIGITAL HD DECORS; with the most realistic natural

replications. Large selection of designer inspired decors.

✓ HIGH DENSITY IXPE PADS; provides excellent sound absorption qualities and a comfortable base to walk on.

✓ PROFESSIONAL PACKAGING: Attractive Box Designs + Strong EURO Pallets + Best all-around packaging quality.

GREEN - ECO FRIENDLY MANUFACTURING

Production process encompasses recycling systems which produce ZERO manufacturing waste. Factory will soon operate 100% on renewable energy with recent 6+Mw Solar System Investment.



ENDURANCE TECH CORE

KERMIT
F L O O R



Featuring proprietary technology to create the ultimate strength SPC waterproof core, which provides over 2000kg m³ density. This results in a product that is structurally solid, impact resistant, extremely durable and guaranteed to last. We achieve this by utilizing a premium quality and completely safe formula which consists of 70% Natural Stone, Virgin PVC, as well as the highest-grade polymers and minerals fused together under heat & high pressure using special tech Extruders. Our Core provides next-level performance above and beyond competing products.

ULTIMATE SHIELD SPECIAL SURFACE COATING



Sets a new industry benchmark in surface protection. This Special UV Coating Technology provides superb performance in Scratch, Stain and Wear

Resistance (10x Stronger Resistance than regular UV) It is sourced from an American company and found on all TRU-STONE Products.





12X36 STONE INSPIRED COLECTION SPC RIGID CORE - LOCKING

- ✓ PLANK SIZE: 12" x 36" Inches (305 x 915mm)
- ✓ EDGES: Micro Beveled
- ✓ CORE: Endurance Tech SPC (Stone Polymer Composite with 2000 kg/m3 Density)
- ✓ THICKNESS: 5mm (Including 1.0mm High Density IXPE pad)
- ✓ PROTECTION: Ultimate Shield; Scratch, Stain and Wear Resistant - Surface Coating -
- ✓ WEAR LAYER: 22mil (0.55mm) | 12mil (0.3mm)
- ✓ VISUALS: Digital Ultra HD, Naturel Stone Appearance.
- ✓ SURFACE: Stone Replicated Lightly Textured
- ✓ INSTALLATION: I4F or Uniclic Locking System.
- ✓ RESIDENTIAL WARRANTY: 25 Year Limited
- ✓ LIGHT COMMERCIAL WARRANTY: 7 - 10 Year Limited
- ✓ INTERTEK CLEAN AIR GOLD CERTIFIED: Our products meet the most stringent air emissions criteria.
- ✓ HIGH QUALITY STANDARDS OF PRODUCTION: Our products meet and exceed USA Quality ASTM & ISO Standards

Weight & Quantities:

- ✓ Quantities per Box: 8 Pieces, 24 sqft | 54 Boxes per pallet, 1296 sqft
19 pallets per truckload, 24,624 sqft
- ✓ Weights: 42.5 lbs. - per Box / 2295 lbs. - per pallet





23054-2



23054-5




23089-1



23033-1



23033-2



23040-3





23069-9



23054-3

Detailed Product Specifications:

FLOORING MODEL	DECOR	MEASUREMENT (mm)	WEARLAYER (mm)	UNDERLAY (IXPE) (mm)	THICKNESS
STONE		305 X 915	0,30	1.0	5
EDGE	LOCKING SYSTEM	PACKAGE (m2)	PALLETE (m2)	CONTAINER 20'	WARRANTY (year)
MICRO BEVEL	UNICLIC	8 pcs per box = 2,230 m2 = 19 kg	54 boxes per pallet = 120.42 m2 = 1,040.24 kg	22 pallets = 2,649.24 m2 =1188 boxes = 22,885.28 kg	private 25 commercial 10

FLOORING MODEL	DECOR	MEASUREMENT (mm)	WEARLAYER (mm)	UNDERLAY (IXPE) (mm)	THICKNESS
STONE		305 X 915	0,55	1.0	5
EDGE	LOCKING SYSTEM	PACKAGE (m2)	PALLETE (m2)	CONTAINER 20'	WARRANTY (year)
MICRO BEVEL	UNICLIC	8 pcs per box = 2,230 m2 = 18 kg	54 boxes per pallet = 120.42 m2 = 1,031.60 kg	22 pallets = 2,649.24 m2 =1188 boxes = 22,695.20 kg	private 25 commercial 10

KERMIT

F L O O R



Easy Click Installation



100% Waterproof



Built In Premium IXPE Under Pad



Suitable With Underfloor Heating



Indent Resistant, Strong & Stable



Lay Over Existing Floors



HD Design & Textures



Slip Resistant & Ultra Quiet



Environmentally Friendly



Naturally Warmer



Meets All ISO & ASTM Quality



Wear Resistant



Hard to Inflamm



Ultimate Shield Surface Coating






Stain Resistant



Healthy Flooring Choice

INSTALLATION WARNING



SPC tiles should be installed with staggered joints as shown in the two examples above

KERMIT

F L O O R



WARRANTY DISCLAIMER - Residential Lifetime = 25 years. Commercial Warranty Applicable to Light & Medium Traffic Areas. Not Applicable to Heavy Traffic Areas. 22 Mil Wear Layer products have 10 year | 12 Mil Wear layer products have 7 year Commercial warranty.



Formaldehyde Free